

QUESTION NO: 6

You have added additional external storage to a system and are able to see the new devices with format. When configuring new metadevices (starting with d512) using Solaris Volume Manager, you get :

```
metainit: system01: d512: No such file or directory
```

What should you do to resolve this problem?

- A. Clean up the devices with devfsadm -C.
- B. Configure c4 with cfgadm -c configure c4.
- C. Change nmd entry in /kernel/drv/md.conf and reboot -- -r.

www.eliteguides.cn `metainit -i c4 nmd -s tmpdir -i to setro system and reboot -- -r.`

Answer: C

QUESTION NO: 7

On a Sun Fire 4800 server, you try to navigate to the domain A shell from the platform shell with the command console A. An error is displayed with the message:

Connection refused, console busy

How can you solve the console busy problem?

- A - Run disconnect <domain ID#>.
- B - Type break to be released from the domain shell.
- C - Run setkeyswitch on to change it from secure.

www.eliteguides.com Answer: A

QUESTION NO: 8

You receive a call on a Sun Fire 6800 indicating that a processor on SB2 has been offlined. The customer will not allow downtime for hardware replacement. You determine that the server is configured properly to replace the system board without any outage. You need to prepare the system board for removal using `cfgadm`.

What command should you use to physically detach the system board for replacement?

- A. `cfgadm -c disconnect SB2`
- B. `cfgadm -c unconfigure SB2`
- C. `cfgadm -c disconnect NO.SB2`

www.eliteguides.cn

Answer: C

QUESTION NO: 9

You are setting up IPMP on a Sun Fire V440 to increase the system's network availability. You are using probe-based IPMP. Which options to the ifconfig command are required to configure the test interfaces?

- A. deprecated -failto
- B. deprecated -backup
- C. deprecated -failover

www.eliteguides.cn

Answer: C

QUESTION NO: 10

You have replaced disk c4t3d0 in a StorEdge 3310 SCSI storage unit, and now want bring the disk under Veritas control. So far you have run vxdiskadm and devfsadm. What Veritas command should you run next?

- A. vxdctl enable
- B. vxdg add c4t3d0
- C. vxplex att c4t3d0
- D. vxdisk c4t3d0 enable

www.eliteguides.cn

- F. vxassist c4t3d0 enable

Answer: A